


3G-58RMSL, 3G-48RMSL, 3G-38RMSL 5.8", 4.8" and 3.8" RECESSED SLOT

TRIMLESS



- ⚠ FOR **NEW CONSTRUCTION** INSTALLATION ONLY
- (i) THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

FIXTURE TYPES INCLUDED COMPONENTS
58RMSL PROFILE 48RMSL PROFILE 38RMSL PROFILE STARTER JOINER ENDER

INSTRUCTION KEY	INFORMATION
ADDITIONAL ATTENTION	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
POWER ON POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS TURN OFF POWER DURING INSTALLATION OR SERVICING


www.3GLIGHTING.com | P: 905-850-2305 TF: 888-448-0440 4/7/2025


INSTALLATION INSTRUCTIONS

LENGTH + 0.40"

LENGTH + 0.40"

OVERVIEW







4.95"


5.95"

3Gi-48RSL


3Gi-58RSL











INSTALLATION INSTRUCTIONS


























INSTALLATION INSTRUCTIONS







LED SERVICING - 48/58RMSL











LED SERVICING - 38RMSL

