


















3.3"/4.0" SQUARE FIXED DOWNLIGHT TRIMLESS




INCLUDED COMPONENTS			
RMD - REMODEL			
			
LED INSERT	MUDDING FLANGE	DRIVER ENCLOSURE	CEILING PLATE
NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)			
			
LED INSERT	MUDDING FLANGE	NEW CONSTRUCTION FRAME	BAR HANGERS
SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)			
			
LED INSERT	MUDDING FLANGE	SHALLOW HOUSING	BAR HANGERS
NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)			
			
LED INSERT	MUDDING FLANGE	NEW CONSTRUCTION HOUSING	BAR HANGERS (OPTIONAL)

INSTRUCTION KEY	INFORMATION
 ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
 ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
 POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
 POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING


RMD - REMODEL

1




FIXTURE TYPE	CEILING HOLE SIZE
DL33SF	3.9375 x 3.9375
DL40SF	5.0625 x 5.0625


2




3




4




5



6




7




REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

8




CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

9




SECURE LID ONTO DRIVER ENCLOSURE AND PLACE ABOVE CEILING




RMD - REMODEL WITH REMOTE DRIVER ENCLOSURE










1 REMOTE DRIVER WIRING




2




NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




9



9A




10




 APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

11












INSERT LED ASSEMBLY INTO CEILING

11A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)




8



INSERT LED ASSEMBLY INTO CEILING


8A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)


1 BAR HANGER INSTALLATION
(IF SUPPLIED BY 3G)




1A



2 OTHER BAR HANGER INSTALLATION
(NOT PROVIDED BY 3G)




3




REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

3A




4




FIXTURE TYPE	CEILING HOLE SIZE
DL33SF	3.9375 x 3.9375
DL40SF	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


5




5A



6




7



INSERT LED ASSEMBLY INTO CEILING


7A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY


LED SERVICING

1



REMOVE LED ASSEMBLY FROM CEILING


2



DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


3

FOR DL33/DL45




DRIVER SERVICING

1 RMD - REMODEL




 DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




4




DRIVER SERVICING

1 NCF - NEW CONSTRUCTION FRAME




⚡ DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


3




4



5




5A



DISCONNECT 5-WIRE CONNECTOR


**6 NCF - NEW CONSTRUCTION FRAME
FOR INTEGRATED BATTERY ONLY**

⚠ THIS UNIT UTILIZES MORE THAN ONE
POWER SOURCE
⚡ DISCONNECT ALL POWER SOURCES
BEFORE SERVICING



ℹ ACCESS ABOVE CEILING REQUIRED FOR DRIVER SERVICING


7



REMOVE BATTERY BOX COVER TO ACCESS WIRING


DRIVER SERVICING

1 SH - SHALLOW HOUSING




⚡ DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




REMOVE DRIVER - SECURED WITH HOOK-AND-LOOP FASTENER

4




4A



DISCONNECT 5-WIRE CONNECTOR


DRIVER SERVICING

1 NC - NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


3




4



5



5A



DISCONNECT 5-WIRE CONNECTOR