



3Gi-2RSL, and 3Gi-4RSL
2", and 3.5" INTEGRATED RECESSED SLOT
FLANGELESS/TRIM FLANGE



⚠ FOR NEW CONSTRUCTION INSTALLATION ONLY
i THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

FIXTURE TYPES		INCLUDED COMPONENTS	
<div>3Gi-2RSL</div> <div>3Gi-4RSL</div>		Standalone Fixtures (2' to 8') <div>INDIVIDUALLENS</div>	Continuous Runs (9' to 16') <div>STARTERENDERLENS</div>
Continuous Runs (17' and longer) <div>STARTERJOINERENDERLENS</div>		INTEGRATED OPTIONS <div><div>3G-1RSL<div>NON ILLUMINATED</div><div>1.5" LINIA</div><div>ZOIE</div><div>WALL WASH ZOIE</div></div><div>3G-2RSL<div>2" LINIA</div><div>1" DOWNLIGHT</div></div><div>3G-4RSL<div>3.5" LINIA</div><div>ADJUSTABLE ZOIE</div><div>MICRO MADISON</div><div>2" DOWNLIGHT</div></div></div>	


INSTRUCTION KEY	INFORMATION
<div>⚠ ADDITIONAL</div> <div>i ATTENTION</div> <div>⚡ POWER ON</div> <div>⏻ POWER OFF</div>	<p>INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN</p> <p>REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION</p> <p>FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY</p> <p>DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS</p> <p>TURN OFF POWER DURING INSTALLATION OR SERVICING</p>

OVERVIEW

FLANGELESS - FX




FLANGELESS - FX




FLANGELESS - FX - CEILING CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3Gi-2RSL	2.063"	LENGTH + 0.125"
3Gi-4RSL	3.490"	LENGTH + 0.125"

WHITE TRIM FLANGE - WT



WHITE TRIM FLANGE - WT





WHITE TRIM FLANGE - WT - CEILING CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3Gi-2RSL	2.300"	LENGTH + 0.380"
3Gi-4RSL	3.750"	LENGTH + 0.380"



ASYMMETRIC LENS ORIENTATION

3Gi-2RSL-ASYMMETRIC LENS

ROOM SIDE DISTRIBUTION





WALL GRAZING DISTRIBUTION





3Gi-4RSL-ASYMMETRIC LENS/REFLECTOR ORIENTATION

ROOM SIDE DISTRIBUTION



WALL GRAZING DISTRIBUTION



ID LABEL

SECTION: **01 OF 03**
TYPE: **XX XX** CO-0000




STARTER

JOINER

ENDER

THREADED ROD LOCATION



THREADED ROD LOCATION

3'	31"	6'	67"
4'	43"	7'	79"
5'	55"	8'	91"

IDENTIFICATION AND PREPARATION


ID LABEL

SECTION: **01 OF 03**
TYPE: **XX XX** CO-0000


ORDER TYPE ORDER NUMBER SECTION ID NUMBER

i IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS


1A DOWNLIGHT REMOVAL




1A




1A ZOIE REMOVAL




1B




1C




2 FIXTURE INSTALLATION




3









3A **i** IF APPLICABLE:




4






11A DOWNLIGHT INSTALLATION




i RECONNECT ALL DOWNLIGHT ASSEMBLIES

11A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

11B ZOIE INSTALLATION




i RECONNECT ALL ZOIE ASSEMBLIES

11B




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

11B




DRIVER SERVICING


1 FLUSH LENS REMOVAL




2




2A DROP LENS REMOVAL




3




4




5




6



7




8




LINIA SERVICING


1 FLUSH LENS REMOVAL




2




2A DROP LENS REMOVAL




3




4




5




6



7




8




LED SERVICING







9



10



DOWNLIGHT SERVICING



ZOIE SERVICING

