



2" ROUND ADJUSTABLE DOWNLIGHT TRIMLESS




THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

INCLUDED COMPONENTS



NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)



RMD - REMODEL




NC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)



INSTRUCTION KEY	INFORMATION
⚠ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
ⓘ ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
⚡ POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
🔌 POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING


RMD - REMODEL

1




FIXTURE TYPE	CEILING HOLE SIZE
DL20RA	Ø 2.625"

2



REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

3




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

4




SECURE LID ONTO DRIVER ENCLOSURE AND INSERT INTO CEILING

5




PLACE DRIVER ENCLOSURE ABOVE CEILING

6A




SECURE MUDDING FLANGE TO CEILING

6B




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

7A




7B




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

RMD - REMODEL WITH REMOTE DRIVER ENCLOSURE










1 REMOTE DRIVER WIRING




2












NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)



NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)




NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)




LED ADJUSTMENT

1



REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP


2



BOTTOM VIEW


ROTATE SCREW TO ADJUST LED ANGLE

2A




LED SERVICING

1




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

2




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




4



REMOVE REFLECTOR AND REPLACE LED ASSEMBLY


DRIVER SERVICING

1 RMD - REMODEL




⚡ DISCONNECT POWER BEFORE SERVICING

2




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

3




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

3A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4




5




DRIVER SERVICING

1 NCF - NEW CONSTRUCTION FRAME




⚡ DISCONNECT POWER BEFORE SERVICING

2




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

3




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

3A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4




PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING

5




DRIVER SERVICING

1 NC - NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

3




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

3A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4



PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING

4A



DISCONNECT 5-WIRE CONNECTOR

5

