











2" SQUARE ADJUSTABLE DOWNLIGHT MILLWORK FLANGELESS











THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT









INCLUDED COMPONENTS					
NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)					
					
BEVELED INSERT	LED ASSEMBLY	NEW CONSTRUCTION FRAME	BAR HANGERS	DRIVER ENCLOSURE	SUCTION CUP
NC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)					
					
BEVELED INSERT	LED ASSEMBLY	NEW CONSTRUCTION HOUSING	BAR HANGERS	SUCTION CUP	

INSTRUCTION KEY	INFORMATION
 ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
 ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
 POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
 POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)




LED ADJUSTMENT


1



2




2A




LED SERVICING

1




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

2




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




4



REMOVE REFLECTOR AND REPLACE LED ASSEMBLY


DRIVER SERVICING

1 NCF - NEW CONSTRUCTION FRAME




⚡ DISCONNECT POWER BEFORE SERVICING

2




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

3




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

3A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4




PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING

5




DRIVER SERVICING

1 NC - NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




REMOVE BEVELED INSERT FROM CEILING WITH PROVIDED SUCTION CUP

3




REMOVE LED ASSEMBLY FROM CEILING BY PULLING ON HANDLE

3A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4



PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING

4A



DISCONNECT 5-WIRE CONNECTOR

5

